Regulatory Peptides, 39 (1992) 283–284

© 1992 Elsevier Science Publishers B.V. All rights reserved. 0167-0115/92/$05.00

Author index to volume 39

Abramson, M., see Cain, S.T., 55
Ahrén, B., see Gregersen, H., 157
Alexander, B.D., see Samson, W.K., 103
Bandi, J.C., see Ledesma de Paolo, M.I., 191
Bang Olsen, U., Weis, J., Rat gastric relaxation induced by stimulation of endothelin-1 selective receptors, 113
Baylor, L.M., see Rossowski, W.J., 9
Björvell, H., see Wisén, O., 43
Born, J., see Derad, I., 35
Borson, D.B., see Di Maria, G.U., 137
Buchanan, K.D., see Hayes, R.G.J., 147
Buffa, R., see Pelagi, M., 201
Cain, S.T., Abramson, M., Nemeroff, C.B., Effects of neurotensin on caudate nucleus protein phosphorylation, 55
Cantor, P., see Wisén, O., 43
Celener, D., see Ledesma de Paolo, M.I., 191
Celener Gravelle, F.P., see Ledesma de Paolo, M.I., 191
Cervin, A., Neuropeptide Y 16–36 inhibits mucociliary activity but does not affect blood flow in the rabbit maxillary sinus in vivo, 237
Cho, K.W., see Seul, K.H., 67
Cooke, H.J., see Reddix, R.A., 215
Coy, D.H., see Rossowski, W.J., 9
Dadgar, A., see McIntosh, C.H.S., 83
Dall, F.H., see Gregersen, H., 157
Derad, I., Pauschinger, P., Born, J., Norepinephrine amplifies effects of vasopressin on the isolated rat heart, 35
Di Maria, G.U., Katayama, M., Borson, D.B., Nadel, J.A., Neutral endopeptidase modulates endothelin-1-induced airway smooth muscle contraction in guinea-pig trachea, 137
Ekman, R., see Scholle, S., 29
Ekstrom, J., see Tobin, G., 95
Ermellino, L., see Pelagi, M., 201
Ertan, A., see Rossowski, W.J., 9
Evangelista, S., Renzi, D., Tramontana, M., Surrenti, C., Theodorsson, E., Maggi, C.A., Cysteamine induced-duodenal ulcers are associated with a selective depletion in gastric and duodenal calcitonin gene-related peptide-like immunoreactivity in rats, 19
Fernandez, L.B., see Ledesma de Paolo, M.I., 191
Ferrell, W.R., see Scott, D.T., 227
Ferrero, S., see Pelagi, M., 201
Gall, D.G., see Hardin, J.A., 169
Gasparri, A., see Pelagi, M., 201
Giudici, A.M., see Pelagi, M., 201
Glaser, S., see Scholle, S., 29
Gomez-Sanchez, C., see Samson, W.K., 103
Gonzalez, E., see Ledesma de Paolo, M.I., 191
Gregersen, H., Dall, F.H., Jørgensen, C.S., Jensen, S.L., Ahrén, B., Effects of noradrenaline and galanin on duodenal motility in the isolated perfused porcine pancreaticoduodenal block, 157
Hardin, J.A., Gall, D.G., The effect of TGFα on intestinal solute transport, 169
Hayes, R.G.J., Shaw, C., Kitabgi, P., Buchanan, K.D., Different relative abundance of neurotensin and neuromedin N in bovine ocular tissues, 147
Huang, F.L.S., see Samson, W.K., 103
Jeftinija, S., Liu, F., Jeftinija, K., Urban, L., Effect of capsaicin and resiniferatoxin on peptidergic neurons in cultured dorsal root ganglion, 123
Jeftinija, K., see Jeftinija, S., 123
Jensen, S.L., see Gregersen, H., 157
Jiang, N.-Y., see Rossowski, W.J., 9
Johansson, C., see Wisén, O., 43
Jørgensen, C.S., see Gregersen, H., 157
Katayama, M., see Di Maria, G.U., 137
Kim, S.H., see Seul, K.H., 67
Kitabgi, P., see Hayes, R.G.J., 147
Konrad, E.M., Thibault, G., Schiffrin, E.L., Autoradiographic visualization of the natriuretic peptide receptor-B in rat tissues, 177
Kwok, Y.N., see McIntosh, C.H.S., 83
Lam, F.Y., see Scott, D.T., 227
Ledesma de Paolo, M.I., Celener Gravelle, F.P., Celener, D., Gonzalez, E., Rosembeck, G., Bandi, J.C., Fernandez, L.B., Influence of VIP on the number of enterochromaffin and

mucosal mast cells in the colon of the rat, 191
Liu, F., see Jeftinija, S., 123
Madamba, S., see Zeise, M.L., 1
Maggi, C.A., see Evangelista, S., 19
McIntosh, C.H.S., Dadgar, A., Kwok, Y.N., Cholinergic stimulation of neuropeptide Y secretion from the isolated perfused rat stomach, 83
Mungan, Z., see Rossowski, W.J., 9
Nadel, J.A., see Di Maria, G.U., 137
Nemeroff, C.B., see Cain, S.T., 55
Ozmen, V., see Rossowski, W.J., 9
Pauschinger, P., see Derad, I., 35
Pelagi, M., Zanini, A., Gasparri, A., Ermellino, L., Giudici, A.M., Ferrero, S., Siccardi, A.G., Buffa, R., Immunodetectionof secretogranin II in animal and human tissues by new monoclonal antibodies, 201
Reddix, R.A., Cooke, H.J., Neurokinin 1 receptors mediate substance P-induced changes in ion transport in guinea-pig ileum, 215
Renzi, D., see Evangelista, S., 19
Rosembeck, G., see Ledesma de Paolo, M.I., 191
Rossowski, W.J., Zacharia, S., Mungan, Z., Ozmen, V., Ertan, A., Baylor, L.M., Jiang, N.-Y., Coy, D.H., Reduced gastric acid inhibitory effect of a pGIP(1–30)NH_2 fragment with potent pancreatic amylase inhibitory activity, 9
Samson, W.K., Skala, K.D., Alexander, B.D., Huang, F.L.S., Gomez-Sanchez, C., A prolactin release inhibiting activity isolated from neurointermediate lobe extracts is an endothelin-like peptide, 103
Schiffrin, E.L., see Konrad, E.M., 177
Scholle, S., Zwacka, G., Ekman, R., Glaser, S., Plasma levels of DSIP in infants in the first year of life and SIDS risk, 29
Scott, D.T., Lam, F.Y., Ferrell, W.R, Acute inflammation enhances substance P-induced plasma protein extravasation in the rat knee joint, 227
Seul, K.H., Cho, K.W., Kim, S.H., Right atrial predominance of atrial natriuretic peptide secretion in isolated perfused rat atria, 67
Shaw, C., see Hayes, R.G.J., 147
Siccardi, A.G., see Pelagi, M., 201
Siggins, G.R., see Zeise, M.L., 1
Skala, K.D., see Samson, W.K., 103
Surrenti, C., see Evangelista, S., 19
Theodorsson, E., see Wisén, O., 43
Theodorsson, E., see Evangelista, S., 19
Thibault, G., see Konrad, E.M., 177
Tobin, G., Ekström, J., Parasympathetic NANC-secretion of saliva in the mink, and effects of substance P and VIP, 95
Tramontana, M., see Evangelista, S., 19
Urban, L., see Jeftinija, S., 123
Weis, J., see Bang Olsen, U., 113
Wisén, O., Björvell, H., Cantor, P., Johansson, C., Theodorsson, E., Plasma concentrations of regulatory peptides in obesity following modified sham feeding (MSF) and a liquid test meal, 43
Zacharia, S., see Rossowski, W.J., 9
Zanini, A., see Pelagi, M., 201
Zeise, M.L., Madamba, S., Siggins, G.R., Interleukin-1β increases synaptic inhibition in rat hippocampal pyramidal neurons in vitro, 1
Zwacka, G., see Scholle, S., 29

Regulatory Peptides, 39 (1992) 285–288

© 1992 Elsevier Science Publishers B.V. All rights reserved. 0167-0115/92/$05.00

Key word index to volume 39

Adrenal gland; C-type natriuretic peptide; Atrial natriuretic peptide; Autoradiography in vitro; Brain; Pituitary gland, 177

α-Adrenoceptor; Galanin; Motility; Pancreaticoduodenal segment, 157

ANF; Distension-reduction; Stretch; Secretion; Atria; Atrial natriuretic peptide, 67

Anterior pituitary gland; Neuroendocrine; Paracrine; Lactotroph; Peptide, 103

Arginine-vasopressin; Norepinephrine; Isolated working heart; Coronary constriction; Cardiac activity, 35

Atria; Atrial natriuretic peptide; ANF; Distension-reduction; Stretch; Secretion, 67

Atrial natriuretic peptide; Autoradiography in vitro; Brain; Pituitary gland; Adrenal gland; C-type natriuretic peptide, 177

Atrial natriuretic peptide; ANF; Distension-reduction; Stretch; Secretion; Atria, 67

Autoradiography in vitro; Brain; Pituitary gland; Adrenal gland; C-type natriuretic peptide; Atrial natriuretic peptide, 177

Blood flow; Laser Doppler flowmetry; Maxillary sinus; Mucociliary activity; Neuropeptide Y 1–36; Neuropeptide Y 16–36, [Leu^{31},Pro^{34}] NPY; PYY; Rabbit, 237

Bombesin-stimulated amylase secretion; Gastric acid secretion; Chronic gastric fistula rat; Gastric inhibitory polypeptide; pGIP; pGIP(1–30)NH_2, 9

Bovine eye; Radioimmunoassay; Reverse phase HPLC; Neurotensin; Neuromedin N; Precursor processing, 147

Brain; Pituitary gland; Adrenal gland; C-type natriuretic peptide; Atrial natriuretic peptide; Autoradiography in vitro, 177

C-type natriuretic peptide; Atrial natriuretic peptide; Autoradiography in vitro; Brain; Pituitary gland; Adrenal gland, 177

Calcitonin gene-related peptide (CGRP); Peptide; Gastric lesion; Duodenal ulcer; Capsaicin; Cysteamine, 19

Calcitonin gene-related peptide; Primary sensory neuron; Neurotoxicity; Organotypic culture; Substance P, 123

Calcium; Neurotensin; Protein phosphorylation; Caudate nucleus; P_2 fraction; Electrophoresis, 55

Capsaicin; Cysteamine; Calcitonin gene-related peptide (CGRP); Peptide; Gastric lesion; Duodenal ulcer, 19

Cardiac activity; Arginine-vasopressin; Norepinephrine; Isolated working heart; Coronary constriction, 35

Carrageenan; Protein extravasation; Substance P; Joint inflammation, 227

Caudate nucleus; P_2 fraction; Electrophoresis; Calcium; Neurotensin; Protein phosphorylation, 55

Cholecystokinin; Neurotensin; Somatostatin; Gastrin; Pancreatic polypeptide; Radioimmunoassay, 43

Cholinergic stimulation; Rat; Gastrointestinal tract; Neuropeptide Y, 83

Chronic gastric fistula rat; Gastric inhibitory polypeptide; pGIP; pGIP(1–30)NH_2; Bombesin-stimulated amylase secretion; Gastric acid secretion, 9

Coronary constriction; Cardiac activity; Arginine-vasopressin; Norepinephrine; Isolated working heart, 35

Cysteamine; Calcitonin gene-related peptide (CGRP); Peptide; Gastric lesion; Duodenal ulcer; Capsaicin, 19

Cytokine; GABA; Interneuronal communication; Intracellular recording; Neuronal plasticity; Synaptic conductance, 1

Distension-reduction; Stretch; Secretion; Atria; Atrial natriuretic peptide; ANF, 67

Duodenal ulcer; Capsaicin; Cysteamine; Calcitonin gene-related peptide (CGRP); Peptide; Gastric lesion, 19

Electrophoresis; Calcium; Neurotensin; Protein phosphorylation; Caudate nucleus; P_2 fraction, 55

Enkephalinase; Peptide; Peptidase; Tachykinin metabolism, 137

Enterochromaffin cell; Serotonin; Mucosal mast cell; Vasoactive intestinal peptide, 191

Epidermal growth factor; TGFα; Intestinal solute transport, 169

Fluid and protein secretion; Synergism between substance P and VIP; Parotid and submandibular gland, 95

Full-term baby; Preterm baby; Neuropeptide; Radioimmunoassay; Sleep; Polysomnography, 29

Fundus strip; Gastric motility; Peptide; Potassium channel, 113

GABA; Interneuronal communication; Intracellular recording; Neuronal plasticity; Synaptic conductance; Cytokine, 1

Galanin; Motility; Pancreatico-duodenal segment; α-Adrenoceptor, 157

Gastric acid secretion; Chronic gastric fistula rat; Gastric inhibitory polypeptide; pGIP; pGIP(1–30)NH_2; Bombesin-stimulated amylase secretion, 9

Gastric inhibitory polypeptide; pGIP; pGIP(1–30)NH_2; Bombesin-stimulated amylase secretion; Gastric acid secretion; Chronic gastric fistula rat, 9

Gastric lesion; Duodenal ulcer; Capsaicin; Cysteamine; Calcitonin gene-related peptide (CGRP); Peptide, 19

Gastric motility; Peptide; Potassium channel; Fundus strip, 113

Gastrin; Pancreatic polypeptide; Radioimmunoassay; Cholecystokinin; Neurotensin; Somatostatin, 43

Gastrointestinal tract; Neuropeptide Y; Cholinergic stimulation; Rat, 83

Guinea-pig; Short-circuit current; Substance P; Neurokinin 1 receptor, 215

Immunoblotting; Immunocytochemistry; Neuroendocrine tissue; Secretogranin II; Secretory product, 201

Immunocytochemistry; Neuroendocrine tissue; Secretogranin II; Secretory product; Immunoblotting, 201

Interneuronal communication; Intracellular recording; Neuronal plasticity; Synaptic conductance; Cytokine; GABA, 1

Intestinal solute transport; Epidermal growth factor; TGFα, 169

Intracellular recording; Neuronal plasticity; Synaptic conductance; Cytokine; GABA; Interneuronal communication, 1

Isolated working heart; Coronary constriction; Cardiac activity; Arginine-vasopressin; Norepinephrine, 35

Joint inflammation; Carrageenan; Protein extravasation; Substance P, 227

Lactotroph; Peptide; Anterior pituitary gland; Neuroendocrine; Paracrine, 103

Laser Doppler flowmetry; Maxillary sinus; Mucociliary activity; Neuropeptide Y 1–36; Neuropeptide Y 16–36, [Leu^{31},Pro^{34}]NPY; PYY; Rabbit; Blood flow, 237

Maxillary sinus; Mucociliary activity; Neuropeptide Y 1–36; Neuropeptide Y 16–36, [Leu^{31},Pro^{34}]NPY; PYY; Rabbit; Blood flow; Laser Doppler flowmetry, 237

Motility; Pancreatico-duodenal segment; α-Adrenoceptor; Galanin, 157

Mucociliary activity; Neuropeptide Y 1–36; Neuropeptide Y 16–36, [Leu^{31},Pro^{34}]NPY; PYY; Rabbit; Blood flow; Laser Doppler flowmetry; Maxillary sinus, 237

Mucosal mast cell; Vasoactive intestinal peptide; Enterochromaffin cell; Serotonin, 191

Neuroendocrine tissue; Secretogranin II; Secretory product; Immunoblotting; Immunocytochemistry, 201

Neuroendocrine; Paracrine; Lactotroph; Peptide; Anterior pituitary gland, 103

Neurokinin 1 receptor; Guinea-pig; Short-circuit current; Substance P, 215

Neuromedin N; Precursor processing; Bovine eye; Radioimmunoassay; Reverse phase HPLC; Neurotensin, 147

Neuronal plasticity; Synaptic conductance; Cytokine; GABA; Interneuronal communication; Intracellular recording, 1

Neuropeptide Y 1–36; Neuropeptide Y 16–36, [Leu^{31},Pro^{34}]NPY; PYY; Rabbit; Blood flow; Laser Doppler flowmetry; Maxillary sinus; Mucociliary activity, 237

Neuropeptide Y 16–36, [Leu^{31},Pro^{34}]NPY; PYY; Rabbit; Blood flow; Laser Doppler flowmetry; Maxillary sinus; Mucociliary activity; Neuropeptide Y 1–36, 237

Neuropeptide Y; Cholinergic stimulation; Rat; Gastrointestinal tract, 83

Neuropeptide; Radioimmunoassay; Sleep; Polysomnography; Full-term baby; Preterm baby, 29

Neurotensin; Neuromedin N; Precursor processing; Bovine eye; Radioimmunoassay; Reverse phase HPLC, 147

Neurotensin; Protein phosphorylation; Caudate

nucleus; P_2 fraction; Electrophoresis; Calcium, 55

Neurotensin; Somatostatin; Gastrin; Pancreatic polypeptide; Radioimmunoassay; Cholecystokinin, 43

Neurotoxicity; Organotypic culture; Substance P; Calcitonin gene-related peptide; Primary sensory neuron, 123

Norepinephrine; Isolated working heart; Coronary constriction; Cardiac activity; Arginine-vasopressin, 35

Organotypic culture; Substance P; Calcitonin gene-related peptide; Primary sensory neuron; Neurotoxicity, 123

P_2 fraction; Electrophoresis; Calcium; Neurotensin; Protein phosphorylation; Caudate nucleus, 55

Pancreatic polypeptide; Radioimmunoassay; Cholecystokinin; Neurotensin; Somatostatin; Gastrin, 43

Pancreatico-duodenal segment; α-Adrenoceptor; Galanin; Motility, 157

Paracrine; Lactotroph; Peptide; Anterior pituitary gland; Neuroendocrine, 103

Parotid and submandibular gland; Fluid and protein secretion; Synergism between substance P and VIP, 95

Peptidase; Tachykinin metabolism; Enkephalinase; Peptide, 137

Peptide; Anterior pituitary gland; Neuroendocrine; Paracrine; Lactotroph, 103

Peptide; Gastric lesion; Duodenal ulcer; Capsaicin; Cysteamine; Calcitonin gene-related peptide (CGRP), 19

Peptide; Peptidase; Tachykinin metabolism; Enkephalinase, 137

Peptide; Potassium channel; Fundus strip; Gastric motility, 113

pGIP; pGIP(1–30)NH_2; Bombesin-stimulated amylase secretion; Gastric acid secretion; Chronic gastric fistula rat; Gastric inhibitory polypeptide, 9

pGIP(1–30)NH_2; Bombesin-stimulated amylase secretion; Gastric acid secretion; Chronic gastric fistula rat; Gastric inhibitory polypeptide; pGIP, 9

Pituitary gland; Adrenal gland; C-type natriuretic peptide; Atrial natriuretic peptide; Autoradiography in vitro; Brain, 177

Polysomnography; Full-term baby; Preterm baby; Neuropeptide; Radioimmunoassay; Sleep, 29

Potassium channel; Fundus strip; Gastric motility; Peptide, 113

Precursor processing; Bovine eye; Radioimmunoassay; Reverse phase HPLC; Neurotensin; Neuromedin N, 147

Preterm baby; Neuropeptide; Radioimmunoassay; Sleep; Polysomnography; Full-term baby, 29

Primary sensory neuron; Neurotoxicity; Organotypic culture; Substance P; Calcitonin gene-related peptide, 123

Protein extravasation; Substance P; Joint inflammation; Carrageenan, 227

Protein phosphorylation; Caudate nucleus; P_2 fraction; Electrophoresis; Calcium; Neurotensin, 55

PYY; Rabbit; Blood flow; Laser Doppler flowmetry; Maxillary sinus; Mucociliary activity; Neuropeptide Y 1–36; Neuropeptide Y 16–36, [Leu^{31},Pro^{34}]NPY, 237

Rabbit; Blood flow; Laser Doppler flowmetry; Maxillary sinus; Mucociliary activity; Neuropeptide Y 1–36; Neuropeptide Y 16–36, [Leu^{31},Pro^{34}]NPY; PYY, 237

Radioimmunoassay; Cholecystokinin; Neurotensin; Somatostatin; Gastrin; Pancreatic polypeptide, 43

Radioimmunoassay; Reverse phase HPLC; Neurotensin; Neuromedin N; Precursor processing; Bovine eye, 147

Radioimmunoassay; Sleep; Polysomnography; Full-term baby; Preterm baby; Neuropeptide, 29

Rat; Gastrointestinal tract; Neuropeptide Y; Cholinergic stimulation, 83

Reverse phase HPLC; Neurotensin; Neuromedin N; Precursor processing; Bovine eye; Radioimmunoassay, 147

Secretion; Atria; Atrial natriuretic peptide; ANF; Distension-reduction; Stretch, 67

Secretogranin II; Secretory product; Immunoblotting; Immunocytochemistry; Neuroendocrine tissue, 201

Secretory product; Immunoblotting; Immunocytochemistry; Neuroendocrine tissue; Secretogranin II, 201

Serotonin; Mucosal mast cell; Vasoactive intestinal peptide; Enterochromaffin cell, 191

Short-circuit current; Substance P; Neurokinin 1 receptor; Guinea-pig, 215

Sleep; Polysomnography; Full-term baby; Preterm baby; Neuropeptide; Radioimmunoassay, 29

Somatostatin; Gastrin; Pancreatic polypeptide; Radioimmunoassay; Cholecystokinin; Neurotensin, 43

Stretch; Secretion; Atria; Atrial natriuretic peptide; ANF; Distension-reduction, 67

Substance P; Calcitonin gene-related peptide; Primary sensory neuron; Neurotoxicity; Organotypic culture, 123

Substance P; Joint inflammation; Carrageenan; Protein extravasation, 227

Substance P; Neurokinin 1 receptor; Guinea-pig; Short-circuit current, 215

Synaptic conductance; Cytokine; GABA; Interneuronal communication; Intracellular recording; Neuronal plasticity, 1

Synergism between substance P and VIP; Parotid and submandibular gland; Fluid and protein secretion, 95

Tachykinin metabolism; Enkephalinase; Peptide; Peptidase, 137

TGFα; Intestinal solute transport; Epidermal growth factor, 169

Vasoactive intestinal peptide; Enterochromaffin cell; Serotonin; Mucosal mast cell, 191